

Chengshan

**CATÁLOGO
2023**



CSC-701



EXCELLENT
HANDLING



HIGH SPEED
PERFORMANCE



TIRE PERFORMANCE



GOOD CHOICE FOR MEDIUM& HIGH
GRADE CAR, SPORTS CAR, SPORTS SUV

- The pattern structure design provides driving safety.
- Effective noise control provides quality ride experience everyday.

RIM Diameter	Size	Load Type	LI	SS	R.R	W/G	Noise Value	Nois Level
16	215/55R16 XL	XL	97	V	C	C	72	)
	205/45ZR17 XL	XL	88	W	C	C	72	)
	205/50ZR17 XL	XL	93	W	C	C	72	)
	205/55R17 XL	XL	95	V	C	C	72	)
	205/55R17 XL	XL	95	W	C	C	72	)
17	215/45ZR17 XL	XL	91	Y	C	C	72	)
	215/50ZR17 XL	XL	95	W	C	C	72	)
	215/55ZR17 XL	XL	98	Y	C	C	72	)
	225/45ZR17 XL	XL	94	Y	C	C	72	)
	225/50ZR17 XL	XL	98	Y	C	C	72	)
	225/55ZR17 XL	XL	101	W	C	C	72	)
	235/45ZR17 XL	XL	97	W	C	C	72	)
	245/40ZR17	-	91	W	C	C	71	)
18	245/45ZR17 XL	XL	99	W	C	C	72	)
	215/35ZR18 XL	XL	84	W	C	C	72	)
	215/45ZR18 XL	XL	93	W	C	C	71	)
	225/40ZR18 XL	XL	92	Y	C	C	72	)
	225/45ZR18	-	91	W	C	C	71	)
	235/40ZR18 XL	XL	95	W	C	C	70	)
	235/45ZR18 XL	XL	98	W	C	C	72	)
	245/40ZR18 XL	XL	97	W	C	C	72	)
	245/45ZR18 XL	XL	100	W	C	C	72	)
	245/50ZR18	-	100	W	-	-	-	)
	255/35ZR18 XL	XL	94	Y	C	C	73	)
	255/40ZR18 XL	XL	99	W	C	C	73	)
	255/45ZR18 XL	XL	103	W	C	C	73	)
19	265/35ZR18 XL	XL	97	W	C	C	73	)
	275/35ZR18 XL	XL	99	W	C	C	73	)
	225/35ZR19 XL	XL	88	Y	C	C	72	)
	225/40ZR19 XL	XL	93	Y	C	C	72	)
	225/45ZR19 XL	XL	96	Y	C	C	72	)
	235/35ZR19 XL	XL	91	W	C	C	72	)
	235/40ZR19 XL	XL	96	Y	C	C	72	)
	245/35ZR19 XL	XL	93	W	C	C	72	)
	245/40ZR19 XL	XL	98	W	C	C	72	)
	255/30ZR19 XL	XL	91	Y	C	C	73	)
	255/35ZR19 XL	XL	96	Y	C	C	73	)
	255/40ZR19 XL	XL	100	Y	C	C	73	)
20	255/45ZR19 XL	XL	104	W	C	C	73	)
	275/35ZR19 XL	XL	100	Y	C	C	73	)
	195/55R20 XL	XL	95	V	C	C	72	)
	235/30ZR20 XL	XL	88	Y	C	C	72	)
	245/35ZR20 XL	XL	95	Y	C	C	72	)
	245/40ZR20 XL	XL	99	Y	C	C	72	)
	255/35ZR20 XL	XL	97	Y	C	C	73	)
	* 275/30ZR20 XL	XL	97	W	-	-	-	)
21	275/35ZR20 XL	XL	102	Y	C	C	73	)
	275/45ZR20 XL	XL	110	Y	C	C	73	)
	295/35ZR21 XL	XL	107	Y	C	C	70	)
22	265/35ZR22 XL	XL	102	Y	C	C	73	)

Notes: * under development

Chengshan

12

CSC-701 Runflat



EXCELLENT
HANDLING



HIGH SPEED
PERFORMANCE



TIRE PERFORMANCE



GOOD CHOICE FOR MEDIUM & HIGH
GRADE CAR, SPORTS CAR, SPORTS SUV

- A new self-supporting reinforced material is added at SW and bead area to "prop up" the car body to continue driving.
- Tire strength and low heat generation performance are improved remarkably by replacing the traditional polyester fiber with modified rayon.



Normal Tire (Air Leakage)



Runflat Tire (Air Leakage)



13

RIM Diameter	Size	Load Type	LI	SS
17	225/50ZR17	XL	98	W
	225/55ZR17	XL	101	W
18	225/45ZR18	XL	95	W
	225/50ZR18	-	95	W
	245/45ZR18	XL	100	W
	245/50ZR18	XL	104	W
	* 255/55R18	XL	109	V
19	* 235/55R19	-	101	V
	* 245/40ZR19	XL	98	W
	* 255/50ZR19	XL	107	W
	* 275/35ZR19	-	96	W

Notes: * under development

CSC-801



FUEL
ECONOMY



COMFORT



TIRE PERFORMANCE



ORDINARY FAMILY CAR TIRES

- Good fuel economy, environment friendly.
- Wear resistant compound and optimized tread groove design provide longer tire mileage.

RIM Diameter	Size	Load Type	LI	SS
12	155/70R12	-	73	T
	165/70R12	-	77	T
	155/65R13	-	73	T
13	155/70R13	-	75	T
	155/80R13	-	79	T
	165/65R13	-	77	T
	165/70R13	-	79	T
	165/80R13	-	83	T
	175/60R13	-	77	T
	175/70R13	-	82	T
	185/70R13	-	86	T
	155/65R14	-	75	T
14	155/70R14	-	77	T
	165/60R14	-	75	H
	165/65R14	-	79	T
	165/70R14	-	81	T
	175/65R14	-	82	T
	175/65R14	XL	86	H
	185/60R14	-	82	H
	185/70R14	-	88	H
	185/70R14	XL	92	H
	185/80R14	-	91	T
15	195/60R14	-	86	H
	195/70R14	-	91	H
	165/65R15	-	81	H
	185/60R15	-	84	H
	185/65R15	-	88	H
	195/55R15	-	85	H
	195/60R15	-	88	H
	195/65R15	-	91	H
	195/65R15	XL	95	H
	205/60R15	-	91	H
16	205/65R15	-	94	H
	205/70R15	-	96	H
	205/70R15	XL	100	S
	205/55R16	-	91	H
	205/55R16	XL	94	V

Chengshan

CSC-802

A TIRE ENGINEERED
FOR FAMILY CAR



QUIET
RIDE



DEPENDABLE
WET GRIP



- SSBR enhanced compound improves wet grip further.



16

CSC-802

RIM Diameter	Size	Load Type	LI	SS	R.R	WG	Noise Value	Noise Level
14	165/60R14	-	75	H	D	B	69	2 (U)
	175/60R14	-	79	V	D	B	69	2 (U)
	175/65R14	-	82	H	D	B	69	2 (U)
	175/70R14	-	84	H	D	B	70	2 (U)
	185/60R14	-	82	H	D	B	69	2 (U)
	185/65R14	-	86	H	D	B	70	2 (U)
15	205/60R14	-	88	H	C	B	70	2 (U)
	175/65R15	-	84	V	D	B	69	2 (U)
	185/55R15	-	82	V	D	B	69	2 (U)
	185/60R15	-	84	H	D	B	69	2 (U)
	185/65R15	-	88	H	D	B	70	2 (U)
	195/50R15	-	82	V	D	B	70	2 (U)
	195/55R15	-	85	V	D	B	70	2 (U)
	195/60R15	-	88	H	D	B	70	2 (U)
16	195/65R15	-	91	H	D	B	70	2 (U)
	205/65R15	-	94	H	C	B	70	2 (U)
	175/60R16	-	82	H	D	B	70	2 (U)
	195/50R16	XL	88	V	D	B	70	2 (U)
	195/55R16	-	87	V	D	B	70	2 (U)
	195/60R16	-	89	H	D	B	70	2 (U)
	205/50R16	XL	91	V	C	B	72	2 (U)
	205/55R16	-	91	V	C	B	69	2 (U)
	205/60R16	-	92	V	C	B	70	2 (U)
	205/65R16	-	95	V	C	B	70	2 (U)
	215/55R16	-	93	V	C	B	70	2 (U)
	215/60R16	-	95	V	C	B	70	2 (U)
17	225/55R16	-	95	V	C	B	70	2 (U)
	225/60R16	-	98	V	C	B	70	2 (U)
	205/50R17	XL	93	V	C	B	70	2 (U)
	215/50R17	-	91	V	C	B	70	2 (U)
	215/55R17	-	94	V	C	B	70	2 (U)
	225/50R17	-	94	V	C	B	71	2 (U)
	225/55R17	XL	101	V	C	B	70	2 (U)

CSC-303



EXCELLENT
HANDLING



COMFORTABLE
WITH LOW NOISE



ANTI-
HYDROPLANING



TIRE PERFORMANCE



SUV

- Precise handling provides excellent driving experience.
- Ulti-pitch design controls noise effectively and makes driving more comfortable.
- The pattern design effectively improves driving safety.

RIM Diameter	Size	Load Type	LI	SS	R.R	W/G	Noise Value	Noise Level
15	225/70R15	-	100	H	C	C	71	)
	215/65R16	XL	102	V	C	C	72	)
	215/70R16	-	100	H	C	C	71	)
16	225/70R16	-	103	T	C	C	71	)
	235/60R16	-	100	T	C	C	71	)
	235/70R16	-	106	H	C	C	71	)
	245/70R16	-	107	T	C	C	71	)
	255/70R16	-	111	T	C	C	72	)
	215/60R17	-	96	H	C	C	71	)
17	215/65R17	XL	103	V	C	C	72	)
	225/60R17	-	99	V	C	C	71	)
	225/65R17	-	102	T	C	C	71	)
	235/55R17	-	99	H	C	C	71	)
	235/60R17	-	102	V	C	C	71	)
	235/65R17	XL	108	V	C	C	72	)
	245/65R17	XL	111	H	C	C	72	)
	255/60R17	-	106	H	C	C	72	)
	255/65R17	-	110	H	C	C	72	)
	265/65R17	-	112	H	C	C	72	)
	265/70R17	-	115	T	C	C	72	)
	275/55R17	-	109	V	-	-	-	-
18	215/50R18	-	92	W	C	C	71	)
	215/55R18	XL	99	V	C	C	72	)
	225/50R18	XL	99	W	C	C	72	)
	225/55R18	-	98	W	C	C	71	)
	225/60R18	-	100	V	C	C	71	)
	235/50R18	XL	101	W	C	C	72	)
	235/55R18	XL	104	V	C	C	72	)
	235/60R18	XL	107	V	C	C	72	)
	235/65R18	XL	110	H	C	C	72	)
	245/60R18	XL	109	V	C	C	72	)
	255/55R18	XL	109	V	C	C	73	)
	255/60R18	XL	112	V	C	C	73	)
	265/60R18	-	110	H	C	C	72	)
	225/55R19	XL	103	W	C	C	72	)
19	235/50R19	XL	103	W	C	C	72	)
	235/55R19	XL	105	W	C	C	72	)
	245/45R19	XL	102	Y	C	C	72	)
	245/55R19	-	103	W	C	C	71	)
	255/50R19	XL	107	V	C	C	73	)
	255/55R19	XL	111	V	C	C	73	)
	265/50R19	XL	110	Y	C	C	73	)
	275/45R19	XL	108	Y	C	C	73	)
20	285/45R19	XL	111	V	C	C	72	)
	245/45R20	XL	103	W	C	C	72	)
	245/50R20	-	102	W	C	C	71	)
	255/45R20	XL	105	Y	C	C	73	)
	255/50R20	XL	109	Y	C	C	73	)
	255/55R20	XL	110	V	C	C	72	)
	265/45R20	XL	108	Y	C	C	73	)
	275/40R20	XL	106	V	C	C	73	)
21	315/35R20	XL	110	Y	C	C	75	)
	255/40R21	XL	102	Y	C	C	73	)
	265/40R21	-	101	Y	C	C	72	)
	275/40R21	XL	107	Y	C	C	73	)
	275/45R21	XL	110	Y	C	C	73	)
	285/35R21	XL	105	Y	C	C	75	)
	285/40R21	XL	109	Y	C	C	75	)
	315/40R21	-	111	Y	C	C	74	)
22	325/30R21	XL	108	Y	C	C	73	)
	285/40R22	XL	110	Y	C	C	75	)

CSC-301(★)



EXCELLENT
SAFETY



COMFORTABLE



TIRE PERFORMANCE



SUV

- Optimized lug and sipes design provides excellent grip thus makes the traveling comfort with lower noise and better traction.
- Computer optimized crisscross pattern provides better water dispersion in wet conditions.
- Optimized lug groove, provides excellent grip on wet road with good self-cleaning performance.

RIM Diameter	Size	Load Type	LI	SS
15	235/60R15	-	98	T
16	215/65R16	XL	102	H
17	LT235/80R17	-	-	-
20	265/50R20	XL	111	V

Chengshan

20

CSC-302



OFF ROAD
TRACTION



RELIABLE
SAFETY



TIRE PERFORMANCE



SUV

- Block pattern design brings excellent off road traction.
- 3D structure design of the shoulder provides stable and effective escape capability in all road conditions.
- Optimized tread depth combined with high wear resistant tread compound brings ultra high mileage.
- The overall pattern design keeps the driving safety under various conditions and increases tread life at the same time.

RIM Diameter	Size	Load Type	PR	LI	SS	R.R	W/G	Noise Value	Noise Level
15	205/60R15	-	-	91	H	-	-	-	-
	205/65R15	-	-	94	H	-	-	-	-
	205/70R15	-	-	96	H	D	C	71	))
	215/70R15	-	-	98	T	D	C	71	))
	215/75R15	-	-	100	T	D	C	71	))
	235/75R15	XL	-	109	S	D	C	72	))
	255/70R15	-	-	108	T	D	C	72	))
	30X9.50R15LT	-	6PR	104	Q	C	B	73	))
	31X10.50R15LT	-	6PR	109	S	C	B	73	))
	P225/75R15	-	-	102	T	D	C	71	))
16	205/60R16	-	-	92	H	-	-	-	-
	205R16C	-	8PR	110/108	S	C	B	73	))
	215/70R16	-	-	100	H	D	C	71	))
	225/70R16	-	-	103	T	D	C	71	))
	225/75R16	XL	-	108	T	D	C	72	))
	225/75R16LT	-	10PR	115/112	Q	C	B	73	))
	235/70R16	-	-	106	T	D	C	71	))
	235/85R16LT	-	10PR	120/116	S	C	B	73	))
	245/70R16	XL	-	111	S	D	C	72	))
	245/75R16	-	-	111	T	D	C	71	))
17	245/75R16LT	-	10PR	120/116	Q	C	B	73	))
	255/65R16	-	-	109	T	D	C	72	))
	265/70R16	-	-	112	T	D	C	72	))
	265/75R16	-	-	116	S	D	C	72	))
	275/70R16	-	-	114	T	D	C	72	))
	225/60R17	-	-	99	H	D	C	71	))
	225/65R17	-	-	102	H	D	C	71	))
	235/60R17	-	-	102	T	D	C	71	))
	235/65R17	XL	-	108	T	D	C	72	))
	245/65R17	-	-	107	T	D	C	71	))
18	245/70R17LT	-	10PR	119/116	S	-	-	-	-
	245/70R17LT	-	8PR	114/110	Q	-	-	-	-
	265/60R17	-	-	108	S	-	-	-	-
	265/65R17	-	-	112	T	D	C	72	))
	265/70R17	-	-	115	T	D	C	72	))
	265/70R17LT	-	10PR	121/118	Q	C	B	73	))
	275/65R17	-	-	115	T	D	C	72	))
	265/60R18	-	-	110	T	D	C	72	))
	265/65R18	-	-	114	T	-	-	-	-
	255/55R19	XL	-	111	V	-	-	-	-
20	265/50R20	XL	-	111	S	-	-	-	-

CSC-306



OFF ROAD
TRACTION



SAFETY



TIRE PERFORMANCE		SUV
------------------	---	-----

Size	LI	SS	Load Type	R.R	W/G	Noise Value	Noise Class
265/70R16	112	T	-	C	B	72	))
265/65R17 OWL	116	T	XL	C	B	73	))

Owl stands for white side wall

Chengshan



Chengshan

MASPIRE M/T

SUV



EXCELLENT
GRIP



DURABILITY



TRACTION



24

MASPIRE M/T

RIM Diameter	Size	PR	LI	SS	Remark
15	30X9.50R15LT	6PR	104	Q	OWL
	31X10.50R15LT	6PR	109	Q	OWL
	LT235/75R15	6PR	104/101	Q	OWL
16	LT225/75R16	10PR	115/112	Q	-
	LT235/85R16	10PR	120/116	Q	-
	LT245/70R16	10PR	118/115	Q	-
	LT245/75R16	10PR	120/116	Q	-
	LT265/70R16	10PR	121/118	Q	-
	LT265/75R16	10PR	123/120	Q	-
	LT265/75R16	10PR	123/120	Q	OWL
	LT285/75R16	10PR	126/123	Q	-
17	33X12.50R17LT	10PR	120	Q	-
	LT265/65R17	10PR	120/117	Q	-
	LT265/70R17	10PR	121/118	Q	-
	LT285/70R17	10PR	121/118	Q	-
18	33X12.50R18LT	10PR	118	Q	-
20	33X12.50R20LT	10PR	114	Q	-
	35X12.50R20LT	10PR	121	Q	-

Owl stands for white side wall



CSC-102

VAN



GOOD
LOAD



LONG
WEAR



GOOD
WET GRIP



28

CSC-102

RIM Diameter	Size	PR	LI	SS	R.R	W/G	Noise Value	Noise Level
14	165R14LT	8PR	96/95	R	C	B	72	))
	175/75R14LT	10PR	99/96	S	C	B	72	))
	185R14C	8PR	102/100	R	C	B	72	))
	195R14C	8PR	106/104	R	C	B	72	))
15	195R15C	8PR	106/104	R	C	B	72	))
	205/70R15C	10PR	106/104	R	C	B	72	))
	215/70R15C	10PR	109/107	R	C	B	72	))
	225/75R15C	8PR	116/114	Q	C	B	72	))

CSR71



HIGH
LOAD



HIGH
MILEAGE



ANTI-
HYDROPLANING



TIRE PERFORMANCE



ALL TERRAIN COMMERCIAL LT,
VAN, PICK-UP

- Excellent grip performance to ensure safe driving.
- Reasonable structure design with the application of high strength materials, further strengthen the load performance.
- Deeper pattern design improves driving range.

RIM Diameter	Size	PR	LI	SS	R.R	W/G	Noise Value	Noise Level
13	165/70R13C	6PR	88/86	T	C	A	72	))
	165R13C	8PR	94/93	Q	C	A	72	))
	175R13C	8PR	97/95	Q	C	A	72	))
14	165/70R14C	6PR	89/87	R	C	A	72	))
	175/65R14C	6PR	90/88	T	C	A	72	))
	175/70R14C	6PR	95/93	T	C	A	72	))
	175/70R14C	8PR	99/95	Q	C	A	72	))
	175/70R14LT	8PR	95/93	S	-	-	-	-
	175R14C	8PR	99/98	Q	C	A	72	))
	175R14LT	8PR	99/97	Q	-	-	-	-
	215R14C	8PR	112/110	P	C	A	72	))
15	185R15C	8PR	103/102	R	C	A	72	))
	185R15LT	6PR	98/97	Q	-	-	-	-
	185R15LT	8PR	103/102	R	-	-	-	-
	195/70R15C	8PR	104/102	N	C	A	72	))
	195/70R15LT	8PR	99/96	T	C	A	72	))
	205/65R15C	6PR	102/100	T	C	A	72	))
	205/70R15C	8PR	106/104	R	C	A	72	))
	215/65R15C	6PR	104/102	T	C	A	72	))
	215/70R15C	8PR	109/107	R	C	A	72	))
	225/70R15C	8PR	112/110	R	C	A	72	))
16	175/75R16C	8PR	101/99	Q	C	A	72	))
	185/75R16C	8PR	104/102	R	C	A	72	))
	195/60R16C	6PR	99/97	T	C	A	72	))
	195/65R16C	8PR	104/102(100)	R(T)	C	A	72	))
	195/75R16C	8PR	107/105	R	C	A	72	))
	205/65R16C	8PR	107/105(103)	T	C	A	72	))
	205/75R16C	8PR	110/108	Q	C	A	72	))
	205/80R16 XL	-	104	S	-	-	-	-
	205R16C	8PR	110/108	S	C	A	72	))
	215/60R16C	6PR	103/101	T	C	A	72	))
	215/65R16C	8PR	109/107(106)	R(T)	C	A	72	))
	215/75R16C	10PR	116/114	S	C	A	72	))
	215/75R16C	8PR	113/111	Q	C	A	72	))
	215/75R16LT	10PR	112/109	Q	-	-	-	-
	215/75R16LT	8PR	107/103	S	-	-	-	-
17	225/65R16C	8PR	112/110	R	C	A	71	))
	225/75R16C	10PR	121/120	R	C	A	72	))
	235/65R16C	8PR	115/113	R	C	A	72	))
	215/60R17C	8PR	109/107	T	-	-	-	-
	225/55R17C	10PR	109/107	H	-	-	-	-

CSR34



Chengshan

TIRE PERFORMANCE



COMMERCIAL VAN AND PICK-UP

Size	PR	LI	SS	Load Type
215/75R15	-	100	S	-
235/75R15LT	6PR	104/101	Q	-
31X10.50R15LT	6PR	109	Q	-
215/80R16	-	107	S	XL

CSR35



TIRE PERFORMANCE



SUITABLE FOR VARIOUS LIGHT TRUCK
PICKUP TRUCKS

Size	PR	LI	SS	R.R	W/G	NOISE VALUE	NOISE CLASS
205R14C	6PR	105/103	Q	C	B	72	))

30

CSR40



TIRE PERFORMANCE



COMMERCIAL VAN AND PICK-UP

Size	PR	LI	SS	R.R	W/G	NOISE VALUE	NOISE CLASS
155R13C	6PR	85/83	Q	D	A	72	))

31

CSR69



TIRE PERFORMANCE



COMMERCIAL VAN AND PICK-UP

Size	PR	LI	SS	R.R	W/G	NOISE VALUE	NOISE CLASS
235/75R15	-	105	S	-	-	-	-
LT215/75R15	6PR	100/97	S	-	-	-	-
LT215/75R15	6PR	100/97	Q	C	B	71	))
LT215/75R15	8PR	106/103	Q	C	B	71	))

CSR80



TIRE PERFORMANCE



COMMERCIAL VAN AND PICK-UP

Size	PR	LI	SS	R.R	W/G	NOISE VALUE	NOISE CLASS
145R12LT	8PR	86/84	N	D	B	72	))
155R12C	6PR	83/81	Q	D	B	72	))
155R12C	8PR	88/86	Q	-	-	-	-

32

CSR48



TIRE PERFORMANCE



COMMERCIAL VAN AND PICK-UP

Size	PR	LI	SS
225/70R15C	8PR	112/110	Q

CSR45



TIRE PERFORMANCE



SUITABLE FOR VARIOUS LIGHT TRUCK/PICKUP TRUCKS

Size	PR	LI	SS	R.R	W/G	NOISE VALUE	NOISE CLASS
215/70R15C	8PR	109/107	Q	C	C	71	))

CSC-112



TIRE PERFORMANCE



ALL TERRAIN COMMERCIAL LIGHT TRUCK, SMALL & MEDIUM-SIZED BUS

Size	PR	LI	SS	R.R	W/G	NOISE VALUE	NOISE CLASS
5.00R12LT	8PR	83/81	P	-	-	-	-
6.00R13LT	10PR	98/93	L	-	-	-	-
6.00R14LT	10PR	100/95	L	-	-	-	-
6.00R15LT	10PR	101/97	L	-	-	-	-
6.50R15LT	10PR	106/101	Q	C	C	72	))
6.50R15LT	8PR	101/97	Q	-	-	-	-
6.50R16LT	10PR	107/102	Q	C	C	72	))
7.00R15LT	10PR	109/105	Q	C	C	72	))
7.00R16LT	10PR	111/107	Q	C	C	72	))
7.00R16LT	12PR	115/110	Q	C	C	72	))

CSR44



TIRE PERFORMANCE



SUITABLE FOR VARIOUS
LIGHT-LOAD GOODS VEHICLES

Size	PR	LI	SS
7.00R16LT	6PR	101/96	N
7.00R16LT	8PR	107/102	N
7.00R16LT	10PR	111/107	N
7.00R16LT	12PR	115/110	N

Chengshan

EVERCLIME CSC-401

FOR ALL WEATHER CONDITIONS



GOOD
HANDLING



WET
GRIP



COMFORT



Chengshan



EVERCLIME CSC-401

RIM Diameter	Size	Load Type	LI	SS	R.R.	W/G	Noise Value	Noise Level
13	155/70R13	-	75	T	D	C	71	
	155/80R13	-	79	T	D	C	71	
	175/70R13	-	82	T	D	C	71	
	155/65R14	-	75	T	D	C	71	
14	165/60R14	XL	79	H	D	C	71	
	165/65R14	-	79	H	D	C	71	
	165/70R14	-	81	T	D	C	71	
	175/65R14	XL	86	H	D	C	71	
	185/55R14	-	80	H	D	C	71	
	185/60R14	-	82	H	D	C	71	
15	185/65R14	-	86	H	D	C	71	
	175/65R15	XL	88	H	D	C	71	
	185/55R15	XL	86	V	D	C	72	
	185/60R15	XL	88	H	D	C	71	
	185/65R15	-	88	H	D	C	71	
	195/50R15	XL	86	W	D	C	72	
	195/55R15	XL	89	V	D	C	72	
	195/60R15	-	88	H	D	C	72	
16	195/65R15	XL	95	V	D	C	72	
	175/60R16	-	82	H	D	C	71	
	195/55R16	XL	91	V	D	C	72	
	205/45R16	XL	87	W	D	C	72	
	205/55R16	-	91	H	D	C	72	
	205/55R16	XL	94	V	D	C	72	
	205/60R16	XL	96	V	D	C	72	
	215/55R16	XL	97	V	D	C	72	
	215/60R16	XL	99	V	D	C	72	
	215/65R16	-	98	H	D	C	71	
17	205/50R17	XL	93	W	D	C	72	
	215/45R17	XL	91	W	D	C	72	
	215/60R17	XL	100	V	D	C	72	
	225/45R17	XL	94	V	D	C	72	
	225/50R17	XL	98	W	D	C	72	
	225/55R17	XL	101	W	D	C	72	
	225/65R17	XL	106	V	D	C	72	
	235/45R17	XL	97	W	D	C	72	
	235/55R17	XL	103	W	D	C	72	
	235/65R17	XL	108	V	D	C	72	
18	265/65R17	-	112	H	D	C	73	
	215/50R18	-	92	W	D	C	71	
	225/40R18	XL	92	W	D	C	72	
	225/45R18	XL	95	Y	D	C	72	
	225/55R18	XL	102	V	D	C	72	
	235/55R18	XL	104	V	D	C	72	
	235/60R18	XL	107	V	D	C	72	
	255/55R18	XL	109	W	D	C	73	
19	265/60R18	XL	114	V	D	C	73	
	235/55R19	XL	105	W	D	C	72	
	255/50R19	XL	107	V	D	C	73	

CSC-901



GOOD GRIP ON ICE
AND SNOWY ROAD




HANDLING



SAFETY


TIRE PERFORMANCE



- Ice-axe shaped pattern groove design provides excellent grip on snowy conditions.




- The zigzag patterns increase the friction between tires and snowy road, reduce the chance of the car slipping on the snowy road.



- Special round hole design inspired from the bionic gecko's toe, increasing surface adsorption capability between the tire and ice whilst providing excellent traction and braking on hard ice and snowy road conditions.



- Special silica compound & soft tread for excellent traction and braking performance on snowy surfaces.
- 3 wide lugs provide excellent water dispersion performance.



- 3D sipes ensure the pattern blocks to squirm with each other and provide interlocking function, taking into account the tread rigidity.

RIM Diameter	Size	Load Type	LI	SS	R.R	W/G	Noise Value	Noise Level
14"	155/65R14	-	75	T	D	D	71	)
14"	165/65R14	-	79	T	D	D	71	)
14"	165/70R14	XL	85	T	D	D	71	)
14"	175/65R14	XL	86	T	D	D	71	)
14"	175/70R14	XL	88	T	D	D	71	)
14"	185/55R14	-	80	H	D	D	71	)
14"	185/60R14	XL	86	H	D	D	71	)
14"	185/65R14	-	86	T	D	D	71	)
14"	185/70R14	-	88	T	D	D	71	)
15"	175/55R15	-	77	T	D	D	71	)
15"	175/65R15	XL	88	T	D	D	71	)
15"	185/55R15	XL	86	H	D	D	71	)
15"	185/60R15	XL	88	T	D	D	71	)
15"	185/65R15	-	88	H	D	D	71	)
15"	195/50R15	-	82	H	D	D	72	)
15"	195/55R15	-	85	H	D	D	72	)
15"	195/60R15	-	88	H	D	D	72	)
15"	195/65R15	-	91	H	D	D	72	)
15"	205/65R15	-	94	T	D	D	72	)
15"	205/70R15	-	96	T	D	D	72	)
15"	215/65R15	XL	100	H	D	C	72	)
15"	215/75R15	-	100	S	D	C	72	)
16"	175/60R16	-	82	H	D	D	71	)
16"	195/50R16	XL	88	V	D	D	72	)
16"	195/55R16	-	87	H	D	D	72	)
16"	195/60R16	-	89	H	D	D	72	)
16"	205/45R16	XL	87	V	D	D	72	)
16"	205/50R16	XL	91	V	D	D	72	)
16"	205/55R16	-	91	H	D	D	72	)
16"	205/55R16	XL	94	H	D	D	72	)
16"	205/60R16	-	92	H	D	D	72	)
16"	205/60R16	XL	96	H	D	D	72	)
16"	215/55R16	XL	97	H	D	C	72	)
16"	215/60R16	XL	99	H	D	C	72	)
16"	215/65R16	-	98	H	D	C	72	)
16"	215/70R16	-	100	T	D	C	72	)
16"	225/55R16	XL	99	V	D	C	72	)
16"	225/60R16	XL	102	H	D	C	72	)
16"	225/70R16	-	103	H	D	C	72	)
16"	235/60R16	-	100	H	D	C	69	)
16"	235/70R16	-	106	T	D	C	69	)
16"	245/70R16	-	107	T	D	C	69	)
16"	*255/70R16	-	111	H	-	-	-	-
16"	265/70R16	-	112	T	D	C	73	)
17"	205/40R17	XL	84	V	D	D	72	)
17"	205/45R17	XL	88	V	D	D	72	)
17"	205/50R17	XL	93	V	D	D	72	)
17"	205/55R17	XL	95	H	D	D	72	)
17"	215/40R17	XL	87	V	D	D	72	)
17"	215/45R17	XL	91	V	D	C	72	)
17"	215/50R17	-	91	H	D	C	72	)
17"	215/55R17	XL	98	V	D	C	72	)
17"	215/60R17	-	96	H	D	C	72	)
17"	215/65R17	-	99	H	D	C	72	)
17"	225/45R17	XL	94	V	D	C	72	)
17"	225/50R17	XL	98	V	D	C	72	)
17"	225/55R17	XL	101	V	D	C	72	)
17"	225/60R17	-	99	H	D	C	72	)
17"	225/65R17	-	102	H	D	C	72	)
17"	235/45R17	XL	97	V	D	C	69	)
17"	235/55R17	XL	103	V	D	C	69	)
17"	235/60R17	-	102	V	D	C	69	)
17"	245/45R17	XL	99	V	D	C	72	)
17"	245/65R17	XL	111	H	D	C	69	)
17"	*245/70R17	-	110	H	-	-	-	-
17"	265/65R17	XL	116	H	D	C	73	)
18"	215/50R18	-	92	W	D	C	72	)
18"	215/55R18	-	95	H	D	C	72	)
18"	225/40R18	XL	92	V	D	C	72	)
18"	225/45R18	XL	95	W	D	C	72	)

Notes: * under development

CSC-901

RIM Diameter	Size	Load Type	LI	SS	R.R	W/G	Noise Value	Noise Level
18"	225/50R18	XL	99	V	D	C	72	)
18"	225/55R18	XL	102	V	D	C	72	)
18"	225/60R18	-	100	H	D	C	72	)
18"	235/40R18	XL	95	V	D	C	72	)
18"	235/45R18	XL	98	V	D	C	72	)
18"	235/50R18	XL	101	V	D	C	69	)
18"	235/60R18	XL	107	V	D	C	69	)
18"	235/65R18	XL	110	H	D	C	69	)
18"	245/40R18	XL	97	V	D	C	72	)
18"	245/45R18	XL	100	V	D	C	69	)
18"	255/45R18	XL	103	W	D	C	73	)
18"	255/55R18	XL	109	V	D	C	73	)
18"	265/60R18	XL	114	H	D	C	73	)
18"	285/60R18	-	116	H	-	-	-	-
19"	225/35R19	XL	88	W	D	D	72	)
19"	*225/45R19	XL	96	V	-	-	-	-
19"	225/55R19	XL	103	V	D	C	72	)
19"	235/35R19	XL	91	W	D	D	72	)
19"	*235/40R19	XL	96	V	-	-	-	-
19"	235/45R19	XL	99	V	D	C	72	)
19"	235/50R19	XL	103	V	D	C	69	)
19"	235/55R19	XL	105	V	D	C	69	)
19"	245/40R19	XL	98	W	D	C	72	)
19"	245/45R19	XL	102	W	D	C	72	)
19"	*245/55R19	-	103	H	-	-	-	-
19"	255/35R19	XL	96	V	D	C	73	)
19"	255/40R19	XL	100	W	D	C	73	)
19"	255/45R19	XL	104	V	D	C	73	)
19"	255/50R19	XL	107	V	D	C	73	)
19"	255/55R19	XL	111	V	D	C	73	)
20"	*235/55R20	XL	105	H	-	-	-	-
20"	*255/50R20	XL	109	H	-	-	-	-
20"	275/40R20	XL	106	W	D	C	73	)
20"	275/45R20	XL	110	W	D	C	73	)
21"	295/35R21	XL	107	V	D	C	73	)

Notes: * under development

CSC-902



EXCELLENT
GRIP



HANDLING AND SAFETY
PERFORMANCE ON ICE



SNOWY ROAD
CONDITIONS



Chengshan

TIRE PERFORMANCE



SUITABLE FOR LIGHT TRUCK/PICK-UP/
VAN/PASSENGER CAR

- The serrated continuous block design increases the friction between the snowy road and tires, reduces the chance of the car slipping on the snowy road.
- Continuous pattern block design prevents slipping on the snowy road, and offers excellent handling response.
- Special silica compound & soft tread provides excellent performance in low temperature conditions.
- Three wide lugs for excellent water dispersion performance.
- Variant sipes suit for more road conditions.
- 3D sipes ensure the pattern blocks to squirm with each other and provide interlocking function, taking into account the tread rigidity.

RIM Diameter	Size	Load Type	PR	LI	SS	R.R	W/G	Noise Value	Noise Level
12"	155R12C	-	8PR	88/86	Q	D	C	73	)
	145/80R13	-	-	75	T	D	D	71	)
	155/65R13	-	-	73	T	D	D	71	)
	155/70R13	-	-	75	T	D	D	71	)
	155/80R13	-	-	79	T	D	D	71	)
13"	155R13C	-	8PR	90/88	Q	D	C	73	)
	165/70R13	-	-	79	T	D	D	71	)
	165R13C	-	8PR	94/93	Q	D	C	73	)
	175/70R13	XL	-	86	T	D	D	69	)
	6.00R13LT	-	10PR	98/93	Q	D	C	73	)
	175/70R14C	-	6PR	95/93	Q	D	C	73	)
	175/75R14C	-	8PR	99/98	S	D	C	73	)
14"	175R14C	-	8PR	99/98	Q	D	C	73	)
	185R14C	-	8PR	102/100	Q	D	C	73	)
	195R14C	-	8PR	106/104	Q	D	C	73	)
	6.00R14LT	-	10PR	99/95	Q	D	C	73	)
	185R15C	-	8PR	103/102	R	-	-	-	-
15"	195/70R15C	-	8PR	104/102	Q	D	C	73	)
	195R15C	-	8PR	106/104	Q	-	-	-	-
	205/70R15C	-	8PR	106/104	R	D	C	73	)
	215/65R15C	-	6PR	104/102	T	D	C	73	)
	215/70R15C	-	8PR	109/107	R	D	C	73	)
	225/70R15C	-	8PR	112/110	Q	D	C	70	)
	6.00R15LT	-	10PR	101/97	Q	D	C	73	)
16"	185/75R16C	-	8PR	104/102	R	D	C	73	)
	195/60R16C	-	6PR	99/97	T	D	C	73	)
	195/65R16C	-	8PR	104/102(100)	T	D	C	73	)
	195/75R16C	-	8PR	107/105	R	D	C	73	)
	205/65R16C	-	8PR	107/105(103)	T	D	C	73	)
	205/75R16C	-	8PR	110/108	Q	D	C	73	)
	215/65R16C	-	8PR	109/107(106)	R(T)	D	C	73	)
	215/75R16C	-	10PR	116/114	N	D	C	73	)
	225/65R16C	-	8PR	112/110	R	D	C	70	)
	225/75R16C	-	10PR	121/120	R	D	C	70	)
	235/65R16C	-	8PR	115/113	R	D	C	70	)
	7.00R16LT	-	12PR	115/110	Q	-	-	-	-
17"	215/60R17C	-	8PR	109/107	T	D	C	73	)
	225/55R17C	-	10PR	109/107	H	D	C	73	)